

Renovation D Heated Towel Rail

Product Code	Photo	Description	Size (Length x Width x Height)	Price
Australian Approved and comply with AS/NZS 3350 electrical safety standards				
HTR-R5		Rated Voltage: 240 V Power: 44 W Power Inlet: Bottom Left OR Right	440 X 550 X 110	170
HTR-R4		Rated Voltage: 240 V Power: 60 W Power Inlet: Bottom Left OR Right	700 x 450 x 110mm	\$170.00
HTR-R6A		Rated Voltage: 240 V Power: 60 W Power Inlet: Bottom Left OR Right	800 x 600 x 110mm	\$220.00
HTR-R8A		Rated Voltage: 240 V Power: 65 W Power Inlet: Bottom Left OR Right	800 x 800 x 110mm	\$360.00

HTR-R6B		Rated Voltage: 240 V Power: 70 W Power Inlet: Bottom Left OR Right	1150 x 600 x 110mm	\$350.00
HTR-C6		Rated Voltage: 240 V Power: 70 W Power Inlet: Bottom Left OR Right	800 x 600 x 110mm (Curved)	\$255.00
HTR-S5		Rated Voltage: 240 V Power: 44 W Power Inlet: Bottom Left OR Right	440 X 550 X 110	\$180.00
HTR-S4		Rated Voltage: 240 V Power: 60 W Power Inlet: Bottom Left OR Right	700 x 450 x 110mm	\$220.00
HTR-S6A		Rated Voltage: 240 V Power: 60 W Power Inlet: Bottom Left OR Right	800 x 600 x 110mm	\$285.00

HTR-S8A		Rated Voltage: 240 V Power: 65 W Power Inlet: Bottom Left OR Right	800 x 800 x 110mm	\$470.00
HTR-S6B		Rated Voltage: 240 V Power: 70 W Power Inlet: Bottom Left OR Right	1150 x 600 x 110mm	\$450.00